

RECEIVED

FORM NO. 22 R 10/09		SUBMIT IN QUADRUPPLICATE TO:		ARM 36.22.307	Lease Name:
MONTANA BOARD OF OIL AND GAS CONSERVATION 2535 ST. JOHNS AVENUE, BILLINGS, MONTANA 59102				ARM 36.22.601	Sundance Kid
		Application for Permit To:			Lease Type (Private/State/Federal):
Drill <input checked="" type="checkbox"/>	Deepen <input type="checkbox"/>	Re-enter <input type="checkbox"/>	Private		
Oil <input checked="" type="checkbox"/>	Gas <input type="checkbox"/>	Other <input type="checkbox"/>	Well Number: 1H		
Operator: Prima Exploration, Inc.				Field Name or Wildcat:	
Address: 250 Filmore St, Suite 500				Elm Coulee Northeast	
City: Denver		State: CO		Unit Name (if applicable):	
Telephone Number:				N/A	
Surface Location of Well (quarter-quarter and footage measurements):				Objective Formation(s):	
NW 1/4 NE 1/4 Sec. 13 T25N R58E 350' FNL 1900' FEL				Bakken	
Proposed Total Depth and Bottom-hole Location(s) if directional or horizontal well:				Township, Range, and Section:	
TD - 20,871' MD.				T25N R58E Section 13	
BHL - SW 1/4 SW 1/4 Sec. 24 T25N R58E 200' FSL 500' FWL				County:	
				Richland	
				Elevation (indicate GL or KB):	
				2047' GL	
Size and description of drilling/spacing unit and applicable order, if any:			Formation at total depth:	Anticipated Spud Date:	
1280 Acre Section 13/24, MT Docket 117-2019			Bakken	4/1/2020	

Hole Size	Casing Size	Weight / Foot	Grade (API)	Depth	Sacks of Cement	Type of Cement
13 1/2"	9 5/8"	36#	J-55 LTC	2,200'	605	See Attached
8 3/4"	7"	29#/32#	P110 BTC	11,040'	690	See Attached
6"	4 1/2"	11.6#/13.5#	P110 BTC	20,871'	545	See Attached

Describe Proposed Operations:
 Describe or attach labeled diagram of blowout preventer equipment. Indicate if air drilled or describe mud program.
 Please see attached programs.
 Prima Exploration, Inc. requests variance to NOT run Open hole logs on the subject well. Offset logs can be found for the Empire North Dakota LLC. , Christiansen #2, Sec. 13 T25N R58E, Richland County, MT.

BOARD USE ONLY		<i>By Cmw Consulting Inc</i>	
Approved (date) FEB 14 2020	Permit Fee \$150.00	The undersigned hereby certifies that the information contained on this application is true and correct:	
By <i>[Signature]</i>	Check Number 5162	Signed (Agent) <i>[Signature]</i>	
Title <i>Petroleum Engineer</i>	Permit Expires AUG 14 2020	Title Ren Gardner - Agent/Petroleum Engineer	
	Permit Number 32500	Date 12/2/2019	
THIS PERMIT IS SUBJECT TO THE CONDITIONS OF APPROVAL STATED ON THE BACK	API Number: 25 - 083 - 23385	Telephone Number 406-259-4878	

Samples Required: NONE ALL _____ FROM _____ feet to _____ feet
 Core chips to address below, full cores to USGS, Core Laboratory, Arvada, CO. Required samples must be washed, dried and delivered prepaid to:
 Montana Board of Oil and Gas Conservation
 2535 St. Johns Avenue
 Billings, MT 59102

RECEIVED

JAN 29 2020

SUPPLEMENTAL INFORMATION

Note: Additional information or attachments may be required by Rule or by special request.

MONTANA BOARD OF OIL & GAS CONSERVATION • BILLINGS

1. Attach a survey plat certified by a registered surveyor. The survey plat must show the location of the well with reference to the nearest lines of an established public survey.
2. Attach an 8 1/2 x 11" photocopy of that portion of a topographic map showing the well location, the access route from county or other established roads, residences, and water wells within a 1/2 mile radius of the well.
3. Attach a sketch of the well site showing the dimensions and orientation of the site, the size and location of pits, topsoil stockpile, and the estimated cut/fill at the corners and centerstake. (Note: the diagram need not be done by an engineer or surveyor). Attach a sketch of a top view and two side views of the reserve pit(s), if utilized. The reserve pit sketch must show the length, width, depth, cut and fill, amount of freeboard, area of topsoil stockpile, and the height and width of berms.
4. Describe the type and amount of material or liner, if any, to be used to seal the reserve pit. If a synthetic liner is used, indicate the liner thickness (mils), bursting strength, tensile strength, tear strength, puncture resistance, hydrostatic resistance, or attach the manufacturer's specifications.
5. Describe the proposed plan for the treatment and/or the disposal of reserve pit fluids and solids after the well is drilled. If the operator intends to dispose of or treat the reserve pit contents off-site, specify the location and the method of waste treatment and disposal. (Note: The operator must comply with all applicable federal, state, county, and local laws and regulations with regard to the handling, transportation, treatment, and disposal of solid wastes.)
6. Does construction of the access road or location, or some other aspect of the drilling operation require additional federal, state, or local permits or authorizations? If yes, indicate the type of permit or authorization required:
 - No additional permits needed
 - 310 Permit (apply through county conservation district)
 - Air quality permit (apply through Montana Department of Environmental Quality)
 - Water discharge permit (apply through Montana Department of Environmental Quality)
 - Water use permit (apply through Montana Department of Natural Resources and Conservation)
 - Solid waste disposal permit (apply through Montana Department of Environmental Quality)
 - State lands drilling authorization (apply through Montana Department of Natural Resources and Conservation)
 - Federal drilling permit (specify agency)
 - Other federal, state, county, or local permit or authorization: (specify type) _____

NOTICES:

1. Date and time of spudding must be reported to the Board verbally or in writing within 72 hours after the commencement of drilling operations.
2. The operator must give notice of drilling operations to the surface owner as required by Section 82-10-503, MCA, before the commencement of any surface activity.

BOARD USE ONLY

CONDITIONS OF APPROVAL

The operator must comply with the following condition(s) of approval:

WARNING: Failure to comply with conditions of approval may void this permit.

RECEIVED

JAN 29 2020

MONTANA BOARD OF OIL & GAS CONSERVATION - BILLINGS

CELLS WITH BLUE BACKGROUND ARE THE ONLY CELLS TO BE EDITED

Table with 2 columns: Field Name and Value. Includes Fracture Start/End Date/Time, State, County, API Number, Operator Number, Well Name, Federal Well, Indian Well, Longitude, Latitude, Long/Lat Projection, True Vertical Depth (TVD), and Total Clean Fluid Volume* (gal).



Table with 4 columns: Additive, Specific Gravity, Additive Quantity, and Mass (lbs). Lists additives such as Water, DVA-75, FRP-15, HCL-15, Liberty Clean Out Fluid, Bioclear 5000, SurfFlo 430, Crystalline Silica Quartz / US Silica, DF-365, ACT-300, WA-100, and IC-30S.

Sundance Kid 1H
Lat 47°55'28.844" N Long 104°10'5.196" W
Richland County, MT



Prima Exploration, Inc
250 Fillmore Street, Suite 500
Denver, CO 80206

Total Slurry Mass (Lbs)
80,049,954

Ingredients Section:

Table with 9 columns: Trade Name, Supplier, Purpose, Ingredients, Chemical Abstract Service Number (CAS #), Maximum Ingredient Concentration in Additive (% by mass)**, Mass per Component (LBS), Maximum Ingredient Concentration in HF Fluid (% by mass)**, and Comments. Lists various additives and their properties.

*Total Water Volume sources may include fresh water, produced water, and/or recycled water
** Information is based on the maximum potential for concentration and thus the total may be over 100%

All component information listed was obtained from the supplier's Material Safety Data Sheets (MSDS). As such, the Operator is not responsible for inaccurate and/or incomplete information. Any questions regarding the content of the MSDS should be directed to the supplier who provided it. The Occupational Safety and Health Administration's (OSHA) regulations govern the criteria for the disclosure of this information. Please note that Federal Law protects "proprietary", "trade secret", and "confidential business information" and the criteria for how this information is reported on an MSDS is subject to 29 CFR 1910.1200(i) and Appendix D.